

Chapter 11 – Literature Cited

- Akaike, H. 1974. A new look at the statistical model identification. IEEE Transactions on Automatic Control **19**:716-723.
- Anderson, D. R., K. P. Burnham, W. R. Gould, and S. Cherry. 2001. Concerns about finding effects that are actually spurious. Wildlife Society Bulletin **29**:311-316.
- Anderson, D. R., K. P. Burnham, and W. L. Thompson. 2000. Null hypothesis testing: Problems, prevalence, and an alternative. Journal of Wildlife Management **64**:912-923.
- Anderton, J. B. and W. L. Loope. 1995. Buried soils in a perched dune-field as indicators of late Holocene lake-level change in the Lake Superior Basin. Quaternary Research **44**:190-199.
- Arbogast, A. F. and W. L. Loope. 1999. Maximum-limiting age of Lake Michigan coastal dunes: their correlation with Holocene lake level history. Journal of Great Lakes Research **25**:372-382.
- Axler, R.P., E. Ruzycki, G. Host, and J. Henneck. 2006. Historical water quality data assessment of the Great Lakes Network. Draft report to the Great Lakes Inventory and Monitoring Network, Ashland, Wisconsin.
- Baedke, S. J. and T. A. Thompson. 2000. A 4700-year record of lake-level and isostacy for Lake Michigan. Journal of Great Lakes Research **26**:416-426.
- Barbour, M. G., J. H. Burk, W. D. Pitts, F. S. Gilman, and M. W. Schwartz. 1999. Terrestrial plant ecology, third edition. Addison Wesley Longman, Inc., Menlo Park, CA, USA.
- Battarbee, R. W., V. J. Jones, R. J. Flower, N. G. Cameron, H. Bennion, L. Carvalho, and S. Juggins. 2001. Diatoms. Pages 155-202 in J. P. Smol, H. J. B. Birks, and W. M. Last, editors. Tracking environmental change using lake sediments. Volume 3: Terrestrial, algal, and siliceous indicators. Kluwer Academic Publishers, Dordrecht, The Netherlands.
- Bayley, P. 1995. Understanding Large River-Floodplain Ecosystems. BioScience **45**(3):153–158.
- Beever, E. A., D. A. Pyke, J. C. Chambers, F. Landau, and S. Smith. 2005. Monitoring temporal change in riparian vegetation of Great Basin National Park. Western North American Naturalist **65**:382-402.
- Bellrose, F. C. 1980. Ducks, geese and swans of North America. Stackpole Books, Harrisburg, Pennsylvania.
- Benedetti-Cecchi, L. 2001. Beyond BACI: Optimization of environmental sampling designs through monitoring and simulation. Ecological Applications **11**:783-799.
- Bertram, P., and N. Stadler-Salt. 2000. Selection of indicators for Great Lakes basin ecosystem health - Version 4. Technical Report for the State of the Lakes Ecosystem Conference.

- Bishop, C. T. 1990. Historical variation of water levels in Lakes Erie and Michigan-Huron. *Journal Great Lakes Research* **16**:406-425.
- Blouch, R. I. 1984. Northern Great Lakes states and Ontario forests. Pages 391-410 in L. K. Halls, editor. *White-tailed deer ecology and management*. Wildlife Management Institute. Stackpole Books, Harrisburg, Pennsylvania.
- Burnham, K. P., and D. R. Anderson. 2002. Model selection and inference: A practical information-theoretic approach. 2nd edition. Springer-Verlag, New York.
- Callison, C. H. 1967. America's natural resources. Natural Resources Council of America. The Ronald Press Co., New York.
- Carlisle, D. M. 2002. Summary of recent analyses of Isle Royale aquatic resources. Report to Isle Royale Natural Resources Specialist. Isle Royale National Park, Houghton, Michigan.
- Casper, G. S. 2004. Amphibian and Reptile Monitoring in the Great Lakes Network National Parks: Review and Recommendations. Great Lakes Inventory and Monitoring Network, Ashland, Wisconsin. Technical Report GLKN/2004/03.
- Caughley, G. 1994. Directions in conservation biology. *Journal of Animal Ecology* **63**:215-244.
- Chamberlin, T. 1965 (1890). The method of multiple working hypotheses. *Science* **148**:754-759. (reprint of 1890 paper in Science)
- Cherry, S. 1998. Statistical tests in publications of The Wildlife Society. *Wildlife Society Bulletin* **26**:947-953.
- Christensen, N. L. (chair), A. M. Bartuska, J. H. Brown, S. Carpenter, C. D'Antonio, R. Francis, J. F. Franklin, J. A. MacMahon, R. F. Noss, D. J. Parsons, C. H. Peterson, M. G. Turner, and R. G. Woodmansee. 1996. The report of the Ecological Society of America Committee on the scientific basis for ecosystem management. *Ecological Applications* **6**:665-691.
- Chrzałkowski, M. J. and T. A. Thompson. 1992. Late Wisconsinan and Holocene coastal evolution of the southern shore of Lake Michigan. Pages 398-413 in C. H. Fletcher and J. F. Wehmiller, editors, *Quaternary Coasts of the United States: Marine and Lacustrine Systems*. Special Publication No. 48. SEPM (Society for Sedimentary Geology), Tulsa, OK, USA.
- Cochran, W. G. 1983. Planning and analysis of observational studies. John Wiley & Sons, New York.
- Crane, T., B. M. Lafrancois, J. Glase, M. Romanski, M. Schneider, and D. Vana-Miller. 2005. Draft water resources management plan: Isle Royale National Park. National Park Service, Water Resources Division, Ft. Collins, Colorado.
- Dale, V. H., and S. C. Beyeler. 2001. Challenges in the development and use of ecological indicators. *Ecological Indicators* **1**:3-10.
- Davis, M. B. 1981. Quaternary history and the stability of forest communities. In D.C. West, H. Shigart and D. Botkin, editors, *Forest Succession*. Springer Verlag.

- Davis, M., C. Douglas, R. Calcote, K. Cole, M. Winkler, and R. Flakne. 2000. Holocene climate in the western Great Lakes national parks and lakeshores: Implications of future climate change. *Conservation Biology* **14**:968-983.
- DeAngelis, D. L., L. J. Gross, E. J. Comiskey, W. M. Mooij, M. P. Nott, and S. Bellmund. 2003. The use of models for a multiscaled ecological monitoring system. Pages 167-188 in *Monitoring ecosystems: Interdisciplinary approaches for evaluating ecoregional initiatives*. D. E. Busch, J. C. Trexler, editors. Island Press, Washington, D.C.
- DeAngelis, D., J. Kitchell, and W. Post. 1985. The influence of naticid predation on evolutionary strategy of bivalve prey: conclusions from a model. *American Naturalist* **126**:817-842.
- DeBano, L. F., D. G. Neary, and P. F. Folliott. 1998. Fire's effects on ecosystems. John Wiley and Sons, New York, NY, USA.
- Di Stefano, J. 2001. Power analysis and sustainable forest management. *Forest Ecology and Management* **154**:141-153.
- Dorazio, R. M., and F. A. Johnson. 2003. Bayesian inference and decision theory – A framework for decision making in natural resource management. *Ecological Applications* **13**:556-563.
- Dynesius, M. and C. Nilsson. 1994. Fragmentation and flow regulation of river systems in the northern third of the world. *Science* **266**:753-762.
- Eberhardt, L. L. 2003. What should we do about hypothesis testing? *Journal of Wildlife Management* **67**:241-247.
- Eckrich, E. C., and J. G. Holmquist. 2000. Trampling in a seagrass assemblage: direct effects, response of associated fauna, and the role of substrate characteristics. *Marine Ecology-Progress Series* **201**:199-209
- Eng, J. 2004. Sample size estimation: A glimpse beyond simple formulas. *Radiology* **230**:606–612.
- Environment Canada. 2002. Where land meets water: understanding wetlands of the Great Lakes. Environment Canada, Toronto, ON, CN.
- Fancy, S. 2004. An overview of vital signs monitoring and its central role in natural resource stewardship and performance management. National Park Service, Vital Signs Monitoring web site. <http://science.nature.nps.gov/im/monitor/docs/>.
- Field, S. A., A. J. Tyre, and H. P. Possingham. 2005. Optimizing allocation of monitoring effort under economic and observational constraints. *Journal of Wildlife Management* **69**:473-482.
- Fisher, T. G. and R. L. Whitman. 1999. Deglacial and lake level fluctuation history recovered in cores, Beaver Lake, Upper Peninsula, Michigan. *Journal of Great Lakes Research* **25**:263-274.
- Flack, V. F., and P. C. Chang. 1987. Frequency of selecting noise variables in subset regression analysis: A simulation study. *The American Statistician* **41**:84-86.
- Fulton, M. R., and P. A. Harcomb. 2002. Fine-scale predictability of forest community dynamics. *Ecology* **83**:1204-1208.

- Frederick, P., and J. C. Ogden. 2003. Monitoring wetland ecosystems using avian populations: Seventy years of surveys in the Everglades. Pages 321-350 in *Monitoring ecosystems: Interdisciplinary approaches for evaluating ecoregional initiatives*. D. E. Busch, J. C. Trexler, editors. Island Press, Washington, D.C.
- Frissell, C. A., W. J. Liss, C. E. Warren, and M. D. Hurley. 1986. A hierarchical framework for stream habitat classification: viewing streams in a watershed context. *Environmental Management* **10**:199-214.
- Frost, T., D. Angelis, S. Bartell, D. Hall, and S. Hurlbert. 1988. Scale in the design and interpretation of aquatic communities research. In S. R. Carpenter, *Complex interactions in lake communities*. Springer Verlag.
- Fry, J. D. 1992. The mixed-model analysis of variance applied to quantitative genetics: Meaning of the parameters. *Evolution* **46**:540-550.
- Galat, D. L. and A. G. Frazier (editors). 1996. Overview of river-floodplain ecology in the Upper Mississippi River Basin, v. 3 of Kelmelis, J. A. ed., *Science for floodplain management into the 21st century*. Washington, DC, USA. Government Printing Office. 149pp.
- Galat, D. L., L. H. Fredrickson, D. D. Humburg, K. J. Bataille, J. R. Bodie, J. Dhorenwend, G. T. Gelwicks, J. E. Havel, D. L. Helmers, J. B. Hooker, J. R. Jones, M. F. Knowlton, J. Kubisiak, J. Mazourek, A. C. McColpin, R. B. Renken, and R. D. Semlitsch. 1998. Flooding to restore connectivity of regulated, large-river wetlands. *BioScience* **48**(9):721-733.
- Garrison, P. and R. Wakeman. 2000. Use of paleolimnology to document lake shoreland development effect on water quality. *Journal of Paleolimnology* **4**:369-393.
- Gerrard, J., and G. R. Bortolotti. 1988. *The bald eagle: Haunts and habits of a wilderness monarch*. Smithsonian Institution Press, Washington, D.C.
- Gerrodette, T. 1987. A power analysis for detecting trends. *Ecology* **68**:1364-1372.
- Gerrodette, T. 1993. Program TRENDS: User's guide. Southwest Fisheries Science Center, La Jolla, California.
- Glass, G. E., and J. A. Sorensen. 1999. Six-year trend (1990 – 1995) of wet mercury deposition in the upper Midwest, U.S.A. *Environmental Science and Technology* **33**:3303-3312.
- Gross, J. E. 2003. Developing conceptual models for monitoring programs. DOI-NPS Inventory and Monitoring Program. Ft. Collins, Colorado.
- Gucciardo, S., B. Route, and J. Elias (editors). 2004. Conceptual models for the Great Lakes Network. Great Lakes Network Technical Report GLKN/2004/04.
- Hall, J. P. and B. H. Moody. 1994. Forest depletion caused by insects and diseases in Canada, 1982-1987. Information Report St-X-8. Canadian Forest Service, Ottawa, ON, CN.
- Hayek, L. C., and M. A. Buzas. 1997. *Surveying natural populations*. Columbia University Press, New York.
- Harig, A. and M. Bain. 1998. Defining and restoring biological integrity in wilderness lakes. *Ecological Applications* **8**:71-87.

- Hart, M., and U. Gafvert. 2005. Data management plan: Great Lakes Inventory & Monitoring Network (draft). National Park Service Great Lakes Inventory and Monitoring Network GLKN/2005/20.
- Howe, R. W., G. J. Niemi, J. Lewis, and D. A. Welsh. 1997. A standard method for monitoring songbird populations in the Great Lakes region. *The Passenger Pigeon* **59**:182-194.
- Hunter, M. L., Jr. 1999. Biological diversity. Pages 3-21 in M. L. Hunter, Jr., editor. *Maintaining biodiversity in forest ecosystems*. Cambridge University Press, Cambridge, UK.
- Hurlbert, S. H. 1984. Pseudoreplication and the design of ecological field experiments. *Ecological Monographs* **54**:187-211.
- Jean, C., A. M. Schrag, R. E. Bennetts, R. Daley, E.A. Crowe, and S. O’Ney. 2004 Vital Signs Monitoring Plan for the Greater Yellowstone Network: Phase III Report. National Park Service, Greater Yellowstone Network, Bozeman, Montana.
- Johnson, B. L., W. B. Richardson, and T. J. Naimo. 1995. Past, present, and future concepts in Large River Ecology. *BioScience* **45**(3):134-141.
- Johnson, D. H. 1995. Statistical sirens: The allure of nonparametrics. *Ecology* **76**:1998-2000.
- Johnson, D. H. 1999. The insignificance of significance testing. *Journal of Wildlife Management* **63**:763-772.
- Johnson, D. H. 2002. The role of hypothesis testing in wildlife science. *Journal of Wildlife Management* **66**:272-276.
- Johnson, L. 2001. Overland dispersal of aquatic invasive species: a risk assessment of transient recreational boating. *Ecological Applications* **11**:1789-1792.
- Junk, W. J., P. B. Bayley, and R. E. Sparks. 1989. The flood pulse concept in river-floodplain ecosystems. Pages 110-127 in D. P. Dodge, editor. *Proceedings of the international large river symposium*. Canadian Journal of Fisheries and Aquatic Sciences Special Publication 106.
- Kallemeyn, L. W., K. L. Holmberg, J. A. Perry, and B. Y. Odde. 2003. Aquatic synthesis for Voyageurs National Park: U.S. Geological Survey Information and Technology Report 2003-0001.
- Karns, P. D. 1967. *Pneumostongylus tenuis* in deer in Minnesota and implications for moose. *Journal of Wildlife Management* **31**:299-303.
- Karr, J. R. 1991. Biological Integrity: A long-neglected aspect of water resource management. *Ecological Applications* **1**: 66-84.
- Kissling, M. L., and E. O. Garton. 2006. Estimating detection probability and density from point-count surveys: a combination of distance and double-observer sampling. *The Auk* **123**: 735-752.
- Kling, G. W., K. Hayhoe, L. B. Johnson, J. J. Magnuson, S. Polasky, S. K. Robinson, B. J. Shuter, M. M. Wander, D. J. Wuebbles, D. R. Kak, R. L. Lindroth, S. C. Moser, and M. L. Wilson. 2003. Confronting Climate Change in the Great Lakes region:

- Impacts on our communities and ecosystems. Union of Concerned Scientists, Cambridge, Massachusetts, and Ecological Society of America, Washington, D.C.
- Knutson, M. G. and E. E. Klass. 1997. Declines in abundance and species richness of birds following a major flood on the Upper Mississippi River. *The Auk* **114**(3): 367-380.
- Kullback, S., and R. A. Leibler. 1951. On information and sufficiency. *Annals of Mathematical Statistics* **22**:79-86.
- LaBounty, J. F. 1986. Lakes. Pages 237-254 in A. Y. Cooperrider, R. J. Boyd, and H. R. Stuart, editors. Inventory and monitoring of wildlife habitat. U.S. Department of Interior, Bureau of Land Management. Service Center, Denver, Colorado.
- Lafrancois, B. M. and J. Glase. 2005. Aquatic studies in National Parks of the upper Great Lakes States: Past efforts and future directions. Water Resources Division Technical Report, NPS/NRWRD/NRTR-2005/334. National Park Service, Denver, Colorado.
- Lafrancois, B. M., S. Magdalene, and D. K. Johnson. *In press*. A comparison of recent water quality trends (1976-2004) with sediment-core records for two riverine lakes of the upper Mississippi River basin: Lake St. Croix and Lake Pepin. *In* D. R. Engstrom and H. E. Wright, editors. Recent Environmental History of the Upper Mississippi River, *Journal of Paleolimnology*.
- Landres, P. 2005. Managing the wild in wilderness. *Frontiers in Ecology and the Environment* **9**:498-499.
- Landres, P., S. Meyer, and S. Mathews. 2001. The wilderness act and fish stocking: an overview of legislation, judicial interpretation and agency implementation. *Ecosystems* **4**:287-295.
- Larsen, D. P., T. M. Kincaid, S. E. Jacobs, and N. S. Urquart. 2001. Designs for evaluating local and regional scale trends. *Bioscience* **51**:1069-1078.
- Ledder, T. 2003. Water resource information and assessment report for the Great Lakes Inventory and Monitoring Network. National Park Service, Great Lakes Inventory and Monitoring Network, Ashland, Wisconsin. Great Lakes Network Technical Report: GLKN/2003/05.
- Lodge, D. and J. Lorman. 1987. Reduction in submersed macrophyte biomass and species richness by the crayfish, *Orconectes rusticus*. *Canadian Journal of Fisheries and Aquatic Sciences*. **44**:591-597.
- Loope, W. L. and A. F. Arbogast. 2000. Dominance of an ~150-year cycle of sand supply change in late Holocene dune building along the eastern shore of Lake Michigan. *Quaternary Research* **54**:414-422.
- Lubinski, K. S. 1993. A conceptual model of the Upper Mississippi River System ecosystem. U. S. Fish and Wildlife Service, Environmental Management Technical Center, Onalaska, WI, USA. EMTC 93-T001. 23 pp.
- Lubinski, K. S. and C. H. Theiling. 1999. *In* U.S. Geological Survey. Ecological status and trends of the Upper Mississippi River System 1998: A report of the Long Term Resource Monitoring Program. USGS, Upper Midwest Environmental Sciences Center, La Crosse, WI, USA. April 1999. LTRMP 99-T001. 236 pp.

- Lukacs, P. M. *In preparation*. Determining sample size for monitoring studies: beyond simple power analyses.
- MacKenzie, D. I., J. D. Nichols, L. Bailey, and J. E. Hines. 2004. Site occupancy estimation and modeling workshop. December 6-7, 2004. Altamonte Springs, Florida.
- MacKenzie, D. I., J. D. Nichols, J. E. Hines, M. G. Knutson, and A. B. Franklin. 2003. Estimating site occupancy, colonization, and local extinction when a species is detected imperfectly. *Ecology* **84**:2200-2207.
- MacKenzie, D. I., J. D. Nichols, G. B. Lachman, S. Droege, J. A. Royle, and C. A. Langtimm. 2002. Estimating site occupancy rates when detection probabilities are less than one. *Ecology* **83**:2248-2255.
- Maddox, D., K. Poini, and R. Unnasch. 1999. Evaluating management success: Using ecological models to ask the right monitoring questions. Pages 563-584 in W. T. Sexton, A. J. Malk, R. C. Szaro, and N. C. Johnson, editors. *Ecological stewardship: a common reference for ecosystem management*. Volume III. Elsevier Science Ltd.
- Magurran, A. E. 1988. Ecological diversity and its measurement. Princeton University Press, Princeton, New Jersey.
- Maniero, T., and D. Pohlman. 2003. Air quality monitoring considerations for the Great Lakes Network parks. Great Lakes Inventory and Monitoring Network Report GLKN/2003/06.
- Manly, B. F. J. 2001. Statistics for environmental science and management. Chapman and Hall/CRC Press, New York.
- Maynard, L. and D. Wilcox. 1997. Coastal wetlands. State of the Great Lakes Ecosystem Conference 1996: Background Paper. Environment Canada and U.S. Environmental Protection Agency. ISBN 0-662-26032-5. EPA 905-R-97-015b, Cat. No. En40-11/35-2-1997E.
- McBride, G. B. 2005. Using statistical methods for water quality management: issues, problems and solutions. Wiley, New York.
- McCune, B., and J. B. Grace. 2002. Analysis of ecological communities. MjM Software Design, Gleneden Beach, Oregon.
- McDonald, M. E., S. Paulsen, R. Blair, J. Dlugosz, S. Hale, S. Hettke, D. Heggem, L. Jackson, K. B. Jones, B. Levinson, A. Olsen, J. Stoddard, K. Summers, and G. Veith. 2002. Research strategy of the Environmental Monitoring and Assessment Program. EPA 620/R-02/002.
- McDonald, T. L. 2003. Environmental trend detection: a review. *Environmental Monitoring and Assessment* **85**:277-292.
- McNab, W. H., and P. E. Avers. 1994. Ecological subregions of the United States: Section descriptions. Administrative publication WO-WSA-5. U.S. Department of Agriculture, Forest Service, Washington, D. C.
- Mech, L. D. (editor). 2000. The wolves of Minnesota. Voyageur Press, Inc., Vancouver, British Columbia, Canada.

- Mitsch, W .J. and J. G. Gosselink. 2000. Wetlands. Third Edition. John Wiley and Sons, Inc., New York, NY, USA.
- Montgomery, D. R. and J. M. Buffington. 1998. Channel responses, classification, and response. Pages 13-42 *in* R. J. Naiman and R. E. Bilby, editors. River ecology and management, Springer-Verlag, New York, Inc. New York, NY, USA.
- Muthén, L. K., and B. O. Muthén. 2002. How to use a Monte Carlo study to decide on sample size and determine power. Structural Equation Modeling **9**:599-620.
- Naiman, R. J. 1998. Biotic Stream Classification. Pages 97-119 *in* R. J. Naiman and R. E. Bilby, editors. River ecology and management, Springer-Verlag, New York, Inc. New York, NY, USA.
- National Research Council. 1995. Wetlands: Characteristics and boundaries. National Academy Press, Washington, DC, USA.
- Niemi G. J., and M. E. McDonald. 2004. Application of ecological indicators. Annual Review of Ecological and Evolutionary Systems **35**:89-111.
- NPS (National Park Service). 1991. Chapter I: Introduction. Pages 1-6 *in* NPS-77: Natural resources management guideline. U. S. Government Printing Office: 1991—524-709/DO6411.
- NPS (National Park Service). 2001. National Park Service management policies. U.S. Department of Interior, National Park Service, Washington, D.C.
- NPS (National Park Service). 2003. Guidance for designing an integrated monitoring program. U.S. Department of Interior, National Park Service, National Monitoring Program, Ft. Collins, Colorado. Available at <http://science.nature.nps.gov/im/monitor/vsmTG.htm#Conmodel>.
- Noon, B.R. 2003. Conceptual issues in monitoring ecological resources. Pages 27-72 *in* D. E. Busch, and J.C. Trexler, editors. Monitoring ecosystems: Interdisciplinary approaches for evaluating ecoregional initiatives. Island Press, Covelo, California.
- Noon, B. R., T. A. Spies, and M. G. Raphael. 1999. Conceptual basis for designing an effectiveness monitoring program. Pages 21-48 *in* B. S. Mulder, B.R. Noon, et al., technical coordinators. The strategy and design of the effectiveness monitoring program for the Northwest Forest Plan. USDA-FS General Technical Report PNW-GTR-437, Pacific Northwest Research Station, Portland, Oregon.
- Norman, J. and P. Sager 1978. Modeling phosphorus transfer rates in lake water. *J. Theoretical Biology* **71**:381-385.
- Noss, R. F. 1990. Indicators for monitoring biodiversity: A hierarchical approach. *Conservation Biology* **4**:355-364.
- Nur, N., S. L. Jones, and G. R. Geupel. 1999. Statistical guide to data analysis of avian monitoring programs. U.S. Fish and Wildlife Service BTO R6001-1999.
- Nute, G. L. 1931 (reprinted 1987). The voyageur. Minnesota Historical Society, St. Paul, Minnesota.
- Oakley, K. L., L. P. Thomas, and S. G. Fancy. 2003. Guidelines for long-term monitoring protocols. *Wildlife Society Bulletin* **31**:100-1003.

- Omart, R. D., and B. W. Anderson. 1986. Riparian habitats. Pages 169-200 in Inventory and monitoring of wildlife habitat. A. Y. Cooperrider, R. J. Boyd, and H. R. Stuart, editors. U.S. Department of Interior, Bureau of Land Management. Service Center, Denver, Colorado.
- Palmer, C. J., and B. S. Mulder. 1999. Components of the effectiveness monitoring program. Pages 69-98 in: B. S. Mulder, B. R. Noon, et al., technical coordinators. The strategy and design of the effectiveness monitoring program for the Northwest Forest Plan. USDA-FS General Technical Report PNW-GTR-437, Pacific Northwest Research Station, Portland, Oregon.
- Paquin, P. 2004. A winter pitfall technique for winter-active Subnivean fauna. Entomological News **115**(3):146-156
- Plumb, G. 2003. Really useful conceptual models: Metaphors, censorship and negotiated knowledge. Paper presentation, U.S. Department of Interior, National Park Service, Intermountain Region Inventory and Monitoring Meeting, Feb. 19-20, 2003. Tucson, Arizona. Available at http://science.nature.nps.gov/im/monitor/docs/Plumb_2003_ReallyUsefulModels.
- Powell, D. E., R. G. Rada, J. G. Wiener, and G. J. Atchison. 2000. Whole-lake burdens and spatial distribution of cadmium in sediments of Wisconsin seepage lakes, U.S.A. Environmental Toxicology and Chemistry **19**:1523-1531.
- Poff, N. L. and J. V. Ward. 1990. Physical habitat template of lotic systems: Recovery in the context of historical pattern of Spatiotemporal Heterogeneity. Environmental Management **14**(5):629-645.
- Reash, R. J. 1999. Considerations for characterizing Midwestern large river habitats. Pages 463-474 in T. P. Simon, editor. Assessing the sustainability and biological integrity of water resources using fish communities. CRC Press, Boca Raton, FL, USA.
- Ray, A. J. 1987. The fur trade in North America: an overview from a historical geographical perspective. Pages 21-30 in M. Novak, J. A. Baker, M. E. Obbard, and B. Malloch, editors. Wild furbearer management and conservation in North America. Ontario Ministry of Natural Resources. Ontario Trappers Association, Ontario, Canada.
- Reed-Andersen, T., S. Carpenter, D. Padilla, and R. Lathrop. 2000. Predicted impact of zebra mussel (*Dreissena polymorpha*) invasion on water clarity in Lake Mendota. Canadian Journal of Fisheries and Aquatic Sciences. **57**:1617-1626.
- Reid, L. M. 2001. The epidemiology of monitoring. Journal of the American Water Resources Association **37**:815-820.
- Rexstad, E. A., D. D. Miller, C. H. Flather, E. M. Anderson, J. W. Hupp, and D. R. Anderson. 1988. Questionable multivariate statistical inference in wildlife habitat and community studies. Journal of Wildlife Management **52**:794-798.
- Ricklefs, R. E. 2001. The economy of nature. Fifth edition. W. H. Freeman and Company, New York, NY, USA.
- Ringold, P. L., B. Mulder, J. Alegría, R. L. Czaplewski, T. Tolle, and K. Burnett. 2003. Design of an ecological monitoring strategy for the Forest Plan in the Pacific

- Northwest. Pages 73-99 in D. E. Busch and J. C. Trexler, editors. Monitoring ecosystems: Interdisciplinary approaches for evaluating ecoregional initiatives.
- Roback, P. L., and R. A. Askins. 2005. Judicious use of multiple hypothesis tests. *Conservation Biology* **19**:261-267.
- Roman, C. T., and N. E. Barrett. 1999. Conceptual framework for the development of long-term monitoring protocols at Cape Cod National Seashore. U.S. Geological Survey, Patuxent Wildlife Research Center.
- Rooney, T. P., S. M. Wigmann, D. A. Rogers, and D. M. Waller. 2004. Biotic impoverishment and homogenization in unfragmented forest understory communities. *Conservation Biology* **18**:787-798.
- Route, B. 2000. Study plan for conducting biological inventories: 2001-2004. U.S. National Park Service. Great Lakes Inventory and Monitoring Network. Technical Report GLKN/2000/01.
- Route, B. 2003. Results of scoping workshops to identify monitoring issues for national park units in the Great Lakes Network. Great Lakes Network Technical Report GLKN/2003/07.
- Route, B. 2004. Process and results of selecting and prioritizing Vital Signs for the Great Lakes Network. U.S. National Park Service. Great Lakes Inventory and Monitoring Network. Technical Report GLKN/2004/05.
- Savage, I. R. 1957. Nonparametric statistics. *Journal of the American Statistical Association* **52**:331-344.
- Schindler, D.E., S. Geib, and M. Williams. 2000. Patterns of fish growth along a residential development gradient in north temperate lakes. *Ecosystems* **3**:229-237.
- Schmitt, R. J., and C. W. Osenberg, editors. 1996. Detecting ecological impacts: Concepts and applications in coastal habitats. Academic Press, New York.
- Schorger, A. W. 1970. The otter in early Wisconsin. *Wisconsin Academy of Science, Arts and Letters* **58**:129-146.
- Schreuder, H. T., R. Ernst, and H. Ramirez-Maldonado. 2004. Statistical techniques for sampling and monitoring natural resources. United States Department of Agriculture, Forest Service, Rocky Mountain Research Station. General Technical Report RMRS-GTR-126.
- Shrader-Frechette, K. S., and E. D. McCoy. 1992. Statistics, costs and rationality in ecological inference. *Trends in Ecology & Evolution* **7**:96-99.
- Schupp, D. H. 1992. An ecological classification of Minnesota lakes with associated fish communities. Minnesota Department of Natural Resources Investigational Report 417.
- Scrimgeour, G., W. Tonn, C. Paszkowski, and C. Cameron. 2001. Benthic macroinvertebrate biomass and wildfires: Evidence for enrichment of boreal subarctic lakes. *Freshwater Biology* **46**:367-378.
- Sokal, R. R., and F. J. Rohlf. 1995. Biometry: The principles and practice of statistics in biological research, 3rd edition W. H. Freeman and Company, New York.

- Spies, T. A. and M. G. Turner. 1999. Dynamic forest mosaics. Pages 95-160 in M. L. Hunter, Jr., editor. *Maintaining biodiversity in forest ecosystems*. Cambridge University Press, Cambridge, UK.
- Stromayer, K. A. K. and R. J. Warren. 1997. Are overabundant deer herds in the eastern United States creating alternate stable states in forest plant communities? *Wildlife Society Bulletin* 25:227-234.
- Stalnaker, C. B., R. T. Milhous, and K. D. Bovee. 1989. Hydrology and hydraulics applied to fishery management in large rivers. In D. P. Dodge, editor. *Proceedings of the International Large River Symposium*, Canadian Journal of Fisheries and Aquatic Sciences Special Publication **106**:13.
- Starfield, A. M. 1997. A pragmatic approach to modeling for wildlife management. *Journal of Wildlife Management* **61**:261-270.
- Steidl, R., J. Hayes, and E. Schauber. 1997. Statistical power analysis in wildlife research. *Journal of Wildlife Management* **61**:270-279.
- Stevens, Jr., D. L., and A. R. Olsen. 1991. Statistical issues in environmental monitoring and assessment. *Proceedings of the American Statistical Association Annual Section on Environmental Statistics*. American Statistical Association, Alexandria, Virginia.
- Stevens, D. L., and A. R. Olsen. 2004. Spatially balanced sampling of natural resources. *Journal of the American Statistical Association* **99**:262-278.
- Swink, F., and G. Wilhelm. 1994. *Plants of the Chicago Region*, 4th edition. Indiana Academy of Science, Indianapolis, Indiana.
- Thompson, T. A. and S. J. Baedke. 1997. Strand-plain evidence for late Holocene lake-level variations in Lake Michigan. *Geological Society of America Bulletin* **109**:666-682.
- Thorp, J. H. and M. D. DeLong. 1994. The riverine productivity model: an heuristic view of carbon sources and organic processing in large river ecosystems. *Oikos* **70**:305.
- Timmermans, S. T. A., G. E. Craigie, and K. Jones. 2004. Marsh monitoring program: Areas of concern summary reports 1995 – 2002.
- Tiner, R. W. 1999. *Wetland indicators: A guide to wetland identification, delineation, classification, and mapping*. Lewis Publishers, Boca Raton, FL, USA.
- Theiling, C. H. 1996. An ecological overview of the upper Mississippi River system: Implications for post-flood recovery and ecosystem management. Pages 3-28 in D. L. Galat and A. G. Frazier, editors. *Overview of river-floodplain ecology in the upper Mississippi River basin*. Vol. 3. *Science for floodplain management into the 21st century*. U.S. Government Printing Office, Washington, D.C.
- Thomas, L., and C. J. Krebs. 1997. A review of statistical power analysis software. *Bulletin of the Ecological Society of America* **78**:126-139.
- Toft, C., and P. Shea. 1983. Detecting community-wide patterns: Estimating power strengthens statistical inference. *American Naturalist* **122**:618-625.
- Tripplett, L. D., M. B. Edlund, and D. R. Engstrom. 2003. A whole-basin reconstruction of sediment and phosphorus loading to Lake St. Croix. Final project report to the

- Metropolitan Council Environmental Services. St. Croix Water Research Station, Marine on St. Croix, Minnesota.
- Underwood, A. J. 1997. Experiments in ecology: their logical design and interpretation using analysis of variance. Cambridge University Press, New York.
- Vannote, R. L., G. W. Minshall, K. W. Cummins, J. R. Sedell, and C. E. Cushing. 1980. The river continuum concept. Canadian Journal of Fisheries and Aquatic Sciences. **37**:130-137.
- Waller, D. M. and W. S. Alverson. 1997. The white-tailed deer: a keystone herbivore. Wildlife Society Bulletin **25**:217-226.
- Ward, J. V. 1989. Riverine-wetland interactions. Pages 385-400 in Freshwater wetlands and wildlife, CONF-860301, DOE Symposium Series No. 61, R. R. Sharitz and J. W. Gibbons, editors. USDOE Office of Scientific and Technical Information, Oak Ridge, TN, USA.
- Ward, J. V. and J. A. Stanford. 1983. The serial discontinuity concept of lotic ecosystems. Pages 29-42 in T. D. Fontaine and S. M. Bartell, editors. Dynamics of lotic ecosystems. Ann Arbor Science, Ann Arbor, MI, USA. 494 pp.
- Welcomme, R. L. 1985. River fisheries. Food and Agriculture Organization Fisheries Technical Paper 262. Food and Agriculture Organization of the United Nations, Rome, Italy. 330 pp.
- Weller, M. W. 1986. Marshes. Pages 201-224 in A. Y. Cooperrider, R. J. Boyd, and H. R. Stuart, editors. Inventory and monitoring of wildlife habitat. U.S. Department of Interior, Bureau of Land Management, Service Center, Denver, Colorado.
- Wells, R. W. 1978. Daylight in the swamp. NorthWord Press, Minocqua, Wisconsin.
- Weir, L. 2005. Protocol: Patuxent Wildlife Research Center, North American Amphibian Monitoring Program.
- West, N. E., and T. P. Yorks. 2002. Vegetation responses following wildfire on grazed and ungrazed sagebrush semi-desert. Journal of Range Management **55**:171-181.
- White, M. A. and D. J. Mladenoff. 1994. Old-growth forest landscape transitions from per-European settlement to present. Landscape Ecology **9**:191-205.
- Wiener, J. G., D. P. Krabbenhoft, G. H. Heinz, and A. M. Scheuhammer. 2003. Ecotoxicology of mercury. Pages 409-463 in D. J. Hoffman, B. A. Rattner, G. A. Burton Jr., and J. Cairns Jr. editors, Handbook of ecotoxicology. Lewis Publishers, Washington D.C.
- Woodford, J. and M. Meyer. 2003. Impacts of lakeshore development on green frog abundance. Biological Conservation **110**:73-78.
- Yoccoz, N. G. 1991. Use, overuse, and misuse of significance tests in evolutionary biology and ecology. Bulletin of the Ecological Society of America **72**:106-111.
- Zar, J. H. 1999. Biostatistical analysis, 4th edition. Prentice-Hall, Inc., Upper Saddle River, New Jersey.